


Amendments to the claims

This listing of claims will replace all prior versions, and listings, of claims in the application:

1. (Currently amended): A compound of formula (I)



wherein:

Z_1 is N or CR^{1a} ;

R^1 and R^{1a} are independently hydrogen; hydroxy; (C₁₋₆)alkoxy unsubstituted or substituted by (C₁₋₆)alkoxy, hydroxy, amino, piperidyl, guanidino or amidino any of which is ~~unsubstituted~~ unsubstituted or N-substituted by one or two (C₁₋₆)alkyl, acyl, (C₁₋₆)alkylsulphonyl, CONH₂, hydroxy, (C₁₋₆)alkylthio, heterocyclylthio, heterocycloxy, arylthio, aryloxy, acylthio, acyloxy or (C₁₋₆)alkylsulphonyloxy; (C₁₋₆)alkoxy-substituted(C₁₋₆)alkyl; halogen; (C₁₋₆)alkyl; (C₁₋₆)alkylthio; trifluoromethyl; trifluoromethoxy; nitro; azido; cyano; acyl; acyloxy; acylthio; (C₁₋₆)alkylsulphonyl; (C₁₋₆)alkylsulphoxide; arylsulphonyl; arylsulphoxide; or an amino, piperidyl, guanidino or amidino group unsubstituted or N-substituted by one or two (C₁₋₆)alkyl, acyl or (C₁₋₆)alkylsulphonyl groups; or R^1 and R^{1a} may together form ethylenedioxy; ~~provided that when Z_1 is CR^{1a} then R^1 is not H;~~

R^2 is H or halogen;

provided that when Z_1 is N, then R^2 is H;

R^3 is hydrogen; halogen; hydroxy; cyano; CF_3 ; nitro; azido; acyl; aryl; heteroaryl; CO_2H ; acyloxy; acylthio; (C_{1-6}) alkyl unsubstituted or substituted by one or two (C_{1-6}) alkoxy, hydroxy, amino, piperidyl, guanidino or amidino any of which is unsubstituted or N-substituted by one or two (C_{1-6}) alkyl, acyl, (C_{1-6}) alkylsulphonyl, $CONH_2$, hydroxy, (C_{1-6}) alkylthio, heterocyclylthio, heterocyclyloxy, arylthio, aryloxy, acylthio, acyloxy or (C_{1-6}) alkylsulphonyloxy; (C_{1-6}) alkoxy unsubstituted or substituted by one or two (C_{1-6}) alkoxy, hydroxy, amino, piperidyl, guanidino or amidino any of which is unsubstituted or N-substituted by one or two (C_{1-6}) alkyl, acyl, (C_{1-6}) alkylsulphonyl, $CONH_2$, hydroxy, (C_{1-6}) alkylthio, heterocyclylthio, heterocyclyloxy, arylthio, aryloxy, acylthio, acyloxy or (C_{1-6}) alkylsulphonyloxy; (C_{3-7}) cycloalkyl; (C_{1-6}) alkoxy-substituted (C_{1-6}) alkyl; (C_{1-6}) alkylthio; trifluoromethoxy; (C_{1-6}) alkylsulphonyl; (C_{1-6}) alkylsulphoxide; arylsulphonyl; or arylsulphoxide; or an amino, piperidyl, guanidino or amidino group unsubstituted or N-substituted by one or two (C_{1-6}) alkyl, acyl or (C_{1-6}) alkylsulphonyl groups;

w_1 is N, C, or CR^4 ;

w_2 is $C=O$, CR^4 , or CR^4R^5 ;

w_3 is $C=O$ or CR^4R^5 ;

w_4 is N or CR^4 ;

w_5 is $C=O$ or CR^4R^5 ;

w_6 is $C=O$, CR^4 , or CR^4R^5 ;

or, one of ~~w_2 , w_3 , w_5 and w_6~~ w_2 , w_3 , w_5 and w_6 is $CR^4R^5CR^4R^5$ and the others are defined as above;

wherein each R^4 and R^5 is independently hydrogen; halogen;

hydroxy; cyano; CF_3 ; nitro; azido; acyl; aryl; heteroaryl; CO_2H ; acyloxy;

acylthio; (C_{1-6}) alkyl unsubstituted or substituted by one or two (C_{1-6}) alkoxy,

hydroxy, amino, piperidyl, guanidino or amidino any of which is unsubstituted

or N-substituted by one or two (C_{1-6}) alkyl, acyl, (C_{1-6}) alkylsulphonyl,

$CONH_2$, hydroxy, (C_{1-6}) alkylthio, heterocyclylthio, heterocyclyloxy, arylthio,

aryloxy, acylthio, acyloxy or (C₁₋₆)alkylsulphonyloxy; (C₁₋₆)alkoxy unsubstituted or substituted by one or two (C₁₋₆)alkoxy, hydroxy, amino, piperidyl, guanidino or amidino any of which is unsubstituted or N-substituted by one or two (C₁₋₆)alkyl, acyl, (C₁₋₆)alkylsulphonyl, CONH₂, hydroxy, (C₁₋₆)alkylthio, heterocyclylthio, heterocyclyloxy, arylthio, aryloxy, acylthio, acyloxy or (C₁₋₆)alkylsulphonyloxy; (C₃₋₇)cycloalkyl; (C₁₋₆)alkoxy-substituted(C₁₋₆)alkyl; (C₁₋₆)alkylthio; trifluoromethoxy; (C₁₋₆)alkylsulphonyl; (C₁₋₆)alkylsulphoxide; arylsulphonyl; or arylsulphoxide; or an amino, piperidyl, guanidino or amidino group unsubstituted or N-substituted by one or two (C₁₋₆)alkyl, acyl or (C₁₋₆)alkylsulphonyl groups; or two R⁵ groups are joined together to form bicycloheptane;


A is CR⁶R⁷ or C(O);

B is CR⁸R⁹ or C(O);

wherein R⁶, R⁷, R⁸, and R⁹ are independently hydrogen; halogen; hydroxy; cyano; CF₃; nitro; azido; acyl; aryl; heteroaryl; CO₂H; acyloxy; acylthio; (C₁₋₆)alkyl unsubstituted or substituted by one or two (C₁₋₆)alkoxy, hydroxy, amino, piperidyl, guanidino or amidino any of which is unsubstituted or N-substituted by one or two (C₁₋₆)alkyl, acyl, (C₁₋₆)alkylsulphonyl, CONH₂, hydroxy, (C₁₋₆)alkylthio, heterocyclylthio, heterocyclyloxy, arylthio, aryloxy, acylthio, acyloxy or (C₁₋₆)alkylsulphonyloxy; (C₁₋₆)alkoxy unsubstituted or substituted by one or two (C₁₋₆)alkoxy, hydroxy, amino, piperidyl, guanidino or amidino any of which is unsubstituted or N-substituted by one or two (C₁₋₆)alkyl, acyl, (C₁₋₆)alkylsulphonyl, CONH₂, hydroxy, (C₁₋₆)alkylthio, heterocyclylthio, heterocyclyloxy, arylthio, aryloxy, acylthio, acyloxy or (C₁₋₆)alkylsulphonyloxy; (C₃₋₇)cycloalkyl; (C₁₋₆)alkoxy-substituted(C₁₋₆)alkyl; (C₁₋₆)alkylthio; trifluoromethoxy; (C₁₋₆)alkylsulphonyl; (C₁₋₆)alkylsulphoxide; arylsulphonyl; or arylsulphoxide; or an amino, piperidyl, guanidino or amidino group unsubstituted or N-substituted by one or two (C₁₋₆)alkyl, acyl or (C₁₋₆)alkylsulphonyl groups;

R¹⁰ is hydrogen; aryl; heteroaryl; (C₁₋₆)alkyl unsubstituted or substituted by one or two (C₁₋₆)alkoxy, hydroxy, amino, piperidyl, piperazinyl, morpholino, guanidino, or amidino, any of which is unsubstituted or N-substituted by one or two aryl, heteroaryl, halogen, cyano, CF₃, unsubstituted (C₁₋₆)alkyl, acyl, (C₁₋₆)alkylsulphonyl, arylsulphonyl, hydroxy, (C₁₋₆)alkylthio, heterocyclylthio, heterocyclyloxy, arylthio, aryloxy, acylthio, acyloxy, or (C₁₋₆)alkylsulphonyloxy, provided that the substitution does not lead to an unstable compound; (C₁₋₆)alkoxy-substituted(C₁₋₆)alkyl; hydroxy-substituted(C₁₋₆)alkyl; (C₁₋₆)alkylcarbonyl; (C₂₋₆)alkenylcarbonyl; (C₁₋₆)alkoxycarbonyl; CO₂H; or CF₃;

R¹¹ is a group -U-R¹² where R¹² is a substituted or unsubstituted bicyclic carbocyclic or heterocyclic ring system (A):



containing up to four heteroatoms in each ring in which
at least one of rings (a) and (b) is aromatic;

X¹ is C or N when part of an aromatic ring or CR¹⁴ when part of a non aromatic ring;

X² is N, NR¹³, O, S(O)_x, CO or CR¹⁴ when part of an aromatic or non-aromatic ring or may in addition be CR¹⁴R¹⁵ when part of a non aromatic ring;

X³ and X⁵ are independently N or C;

Y¹ is a 0 to 4 atom linker group each atom of which is independently selected from N, NR¹³, O, S(O)_x, CO and CR¹⁴ when part of an aromatic or non-aromatic ring or may additionally be CR¹⁴R¹⁵ when part of a non aromatic ring,

Y² is a 2 to 6 atom linker group, each atom of Y² being independently selected from N, NR¹³, O, S(O)_x, CO and CR¹⁴ when part of an aromatic or non-aromatic ring or may additionally be CR¹⁴R¹⁵ when part of a non aromatic ring;

each of R¹⁴ and R¹⁵ is independently selected from: H; (C₁₋₄)alkylthio; halo; (C₁₋₄)alkyl; (C₂₋₄)alkenyl; hydroxy; hydroxy(C₁₋₄)alkyl; mercapto(C₁₋₄)alkyl; (C₁₋₄)alkoxy; trifluoromethoxy; nitro; cyano; carboxy; amino or aminocarbonyl unsubstituted or substituted by (C₁₋₄)alkyl;

each R¹³ is independently H; trifluoromethyl; (C₁₋₄)alkyl unsubstituted or substituted by hydroxy, carboxy, (C₁₋₄)alkoxy, (C₁₋₆)alkylthio, halo or trifluoromethyl; (C₂₋₄)alkenyl; or aminocarbonyl wherein the amino group is optionally substituted (C₁₋₄)alkyl;

each x is independently 0, 1 or 2;

U is CO, SO₂, CH₂, or CR¹⁶R¹⁷;

R¹⁶ and R¹⁷ are independently selected from H; aryl; heteroaryl; (C₁₋₆)alkyl; (C₁₋₆)alkyl substituted by (C₁₋₆)alkoxy, hydroxy, amino, piperidyl, piperazinyl, morpholino, guanidino, or amidino, any of which is substituted or N-substituted by one or two H, aryl, heteroaryl, halogen, cyano, CF₃, (C₁₋₆)alkyl, acyl, (C₁₋₆)alkylsulphonyl, arylsulphonyl, hydroxy, (C₁₋₆)alkylthio, heterocyclylthio, heterocyclyloxy, arylthio, aryloxy, acylthio, acyloxy, or (C₁₋₆)alkylsulphonyloxy, provided that the substitution does not lead to an unstable compound; (C₁₋₆)alkoxy-substituted(C₁₋₆)alkyl; hydroxy-substituted(C₁₋₆)alkyl; amino-substituted(C₁₋₆)alkyl, which is N-substituted by one or two (C₁₋₆)alkyl, acyl, (C₁₋₆)alkylsulphonyl, or arylsulphonyl; (C₁₋₆)alkylcarbonyl; (C₂₋₆)alkenylcarbonyl; (C₁₋₆)alkoxycarbonyl; CO₂H; or CF₃; or

a pharmaceutically acceptable salt thereof.

2. (Previously presented): A compound or salt according to claim 1, wherein R¹ is F, Cl, OCH₃, methyl, or SCH₃.

3. (Previously presented): A compound or salt according to claim 1, wherein R^{1a} is H, OCH₃, or OCH₂CH₂OCH₃.

4. (Previously presented): A compound or salt according to claim 1, wherein R² is H or F.
5. (Previously presented): A compound or salt according to claim 1, wherein R³ is Cl or F.
6. (Currently amended): A compound or salt according to claim 1, wherein each R⁴ is independently H, methyl, OH, COOH, NH₂, OCH₃, or CH₂OH.
7. (Previously presented): A compound or salt according to claim 1, wherein R⁵ is H.
8. (Previously presented): A compound or salt according to claim 1, wherein the group -U- is -CH₂-.
9. (Currently amended): A compound or salt according to claim 1, wherein R¹² is:
benzo[1,2,5]thiadiazol-5-yl;
4H-benzo[1,4] thiazin-3-one-6-yl;
2,3-dihydro-benzo[1,4]dioxin-6-yl;
benzo[1,2,3]thiadiazol-5-yl;
3-oxo-3,4-dihydro-2H-benzo[1,4]oxazin-6-yl;
7-fluoro-3-oxo-3,4-dihydro-2H-benzo[1,4] oxazin-6-yl;
2-oxo-2,3-dihydro-1H-pyrido[2,3-b][1,4]thiazin-7-yl;
2,3-Dihydro-[1,4]dioxino[2,3-c]pyridin-7-yl;
3-oxo-3,4-dihydro-2H-pyrido[3,2-b][1,4]oxazin-6-yl;
[1,2,3]thiadiazolo[5,4-b]pyridin-6-yl;
3-oxo-3,4-dihydro-2H-pyrido[3,2-b][1,4]thiazin-6-yl;
7-chloro-3-oxo-3,4-dihydro-2H-pyrido[3,2-b][1,4]thiazin-6-yl; or
7-fluoro-3-oxo-3,4-dihydro-2H-pyrido[3,2-b][1,4]thiazin-6-yl; or
2-oxo-2,3-dihydro-1H-pyrido[3,4-b][1,4]thiazin-7-yl.
10. (Currently amended): A compound according to claim 1, wherein the compound is:
~~6-({2-[1-(6-methoxyquinolin-4-yl)piperidin-4-yl]ethylamino}methyl)-4H-~~
~~pyrido[3,2-b][1,4]oxazin-3-one;~~

~~6-({2-[1-(6-methoxyquinolin-4-yl)piperidin-4-yl]ethylamino}methyl)-4H-pyrido[3,2-b][1,4]thiazin-3-one;~~
~~(2,3-dihydro-[1,4]dioxino[2,3-c]pyridin-7-ylmethyl)-(2-[1-(6-methoxyquinolin-4-yl)piperidin-4-yl]ethyl)amine;~~
~~6-({2-[1-(6-methoxynaphthyridin-4-yl)piperidin-4-yl]ethylamino} methyl)-4H-pyrido[3,2-b][1,4]oxazin-3-one;~~
~~6-({2-[1-(6-methoxynaphthyridin-4-yl)piperidin-4-yl]ethylamino} methyl)-4H-pyrido[3,2-b][1,4]thiazin-3-one;~~
~~(2,3-dihydro-[1,4]dioxino[2,3-c]pyridin-7-ylmethyl)-(2-[1-(6-methoxynaphthyridin-4-yl)piperidin-4-yl]ethyl)amine;~~
~~6-({2-[1-(3-chloro-6-methoxy-[1,5]quinolin-4-yl)phenyl]ethylamino}methyl)-4H-pyrido[3,2-b][1,4]oxazin-3-one;~~
~~6-({2-[1-(3-chloro-6-methoxy-[1,5]quinolin-4-yl)phenyl]ethylamino} methyl)-4H-pyrido[3,2-b][1,4]thiazin-3-one;~~
~~{2-[1-(3-chloro-6-methoxyquinolin-4-yl)piperidin-4-yl]ethyl)-(2,3-dihydro[1,4]dioxino[2,3-c]pyridin-7-ylmethyl)amine;~~
~~6-({2-[1-(3-chloro-6-methoxy-[1,5]naphthyridin-4-yl)phenyl]ethylamino}methyl)-4H-pyrido[3,2-b][1,4]oxazin-3-one;~~
~~6-({2-[1-(3-chloro-6-methoxy-[1,5]naphthyridin-4-yl)phenyl]ethylamino}methyl)-4H-pyrido[3,2-b][1,4]thiazin-3-one;~~
~~{2-[1-(3-chloro-6-methoxynaphthyridin-4-yl)piperidin-4-yl]ethyl)-(2,3-dihydro[1,4]dioxino[2,3-c]pyridin-7-ylmethyl)amine;~~
~~6-({2-[4-(6-methoxyquinolin-4-yl)piperazin-1-yl]ethylamino}methyl)-4H-pyrido[3,2-b][1,4]oxazin-3-one;~~
~~6-({2-[4-(6-methoxyquinolin-4-yl)piperazin-1-yl]ethylamino}methyl)-4H-pyrido[3,2-b][1,4]thiazin-3-one;~~
~~(2,3-dihydro-[1,4]dioxino[2,3-c]pyridin-7-ylmethyl)-(2-[4-(6-methoxyquinolin-4-yl)piperizin-1-yl]ethyl)amine;~~
~~6-({2-[4-(6-methoxynaphthyridin-4-yl)piperazin-1-yl]ethylamino} methyl)-4H-pyrido[3,2-b][1,4]oxazin-3-one;~~
~~6-({2-[4-(6-methoxynaphthyridin-4-yl)piperazin-1-yl]ethylamino} methyl)-4H-pyrido[3,2-b][1,4]thiazin-3-one;~~
~~(2,3-dihydro-[1,4]dioxino[2,3-c]pyridin-7-ylmethyl)-(2-[4-(6-methoxynaphthyridin-4-yl)piperizin-1-yl]ethyl)amine;~~
~~6-({2-[4-(3-chloro-6-methoxyquinolin-4-yl)piperazin-1-yl]ethylamino}methyl)-4H-pyrido[3,2-b][1,4]oxazin-3-one;~~

~~6-((2-[4-(3-chloro-6-methoxyquinolin-4-yl)]piperazin-1-yl)ethylamino)methyl)-4H-pyrido[3,2-b][1,4]thiazin-3-one;~~
~~{2-[4-(3-chloro-6-methoxyquinolin-4-yl)]piperazin-1-yl}ethyl)-(2,3-dihydro[1,4]dioxino[2,3-c]pyridin-7-ylmethyl)amine;~~
6-((2-[4-(3-chloro-6-methoxynaphthyridin-4-yl)]piperazin-1-yl)ethylamino)methyl)-4H-pyrido[3,2-b][1,4]oxazin-3-one;
6-((2-[4-(3-chloro-6-methoxynaphthyridin-4-yl)]piperazin-1-yl)ethylamino)methyl)-4H-pyrido[3,2-b][1,4]thiazin-3-one;
~~{2-[4-(3-chloro-6-methoxynaphthyridin-4-yl)]piperazin-1-yl}ethyl)-(2,3-dihydro[1,4]dioxino[2,3-c]pyridin-7-ylmethyl)amine;~~
~~6-((2-[4-(6-Methoxy-[1,5]naphthyridin-4-yl)-3,6-dihydro-2-H-pyridin-1-yl]-2-oxo-ethylamino)methyl)-4H-pyrido[3,2-b][1,4]thiazin-3-one;~~
~~6-((2-[4-(6-methoxy-[1,5]naphthyridin-4-yl)-3,6-dihydro-2-H-pyridin-1-yl]-2-oxo-ethylamino)methyl)-4H-pyrido[3,2-b][1,4]thiazin-3-one;~~
N-(2-{1-[6-(methyloxy)-1,5-naphthyridin-4-yl]-4-piperidinyl}ethyl)-3-oxo-3,4-dihydro-2H-pyrido[3,2-b][1,4]thiazine-6-carboxamide;
N-(2-{1-[6-(methyloxy)-1,5-naphthyridin-4-yl]-4-piperidinyl}ethyl)-3-oxo-3,4-dihydro-2H-1,4-benzothiazine-6-sulfonamide;
N-methyl-N-(2-{1-[6-(methyloxy)-1,5-naphthyridin-4-yl]-4-piperidinyl}ethyl)-3-oxo-3,4-dihydro-2H-pyrido[3,2-b][1,4]thiazine-6-carboxamide;
N-methyl-N-(2-{1-[6-(methyloxy)-1,5-naphthyridin-4-yl]-4-piperidinyl}ethyl)-3-oxo-3,4-dihydro-2H-1,4-benzothiazine-6-sulfonamide;
N-(2-{1-[3-chloro-6-(methyloxy)-1,5-naphthyridin-4-yl]-4-piperidinyl}ethyl)-3-oxo-3,4-dihydro-2H-1,4-benzothiazine-6-sulfonamide;
7-(((2-[4-[6-(methyloxy)-1,5-naphthyridin-4-yl]-1-piperazinyl]ethyl)oxy)methyl)-2,3-dihydro[1,4]dioxino[2,3-c]pyridine;
N-(2-{4-[6-(methyloxy)-1,5-naphthyridin-4-yl]-1-piperazinyl}ethyl)-3-oxo-3,4-dihydro-2H-pyrido[3,2-b][1,4]thiazine-6-carboxamide;
N-methyl-N-(2-{4-[6-(methyloxy)-1,5-naphthyridin-4-yl]-1-piperazinyl}ethyl)-3-oxo-3,4-dihydro-2H-pyrido[3,2-b][1,4]thiazine-6-carboxamide;
N-(2-{4-[6-(methyloxy)-1,5-naphthyridin-4-yl]-1-piperazinyl}ethyl)-3-oxo-3,4-dihydro-2H-1,4-benzothiazine-6-sulfonamide;
N-methyl-N-(2-{4-[6-(methyloxy)-1,5-naphthyridin-4-yl]-1-piperazinyl}ethyl)-3-oxo-3,4-dihydro-2H-1,4-benzothiazine-6-sulfonamide;
6-(((2-[4-[6-(methyloxy)-1,5-naphthyridin-4-yl]hexahydro-1H-1,4-diazepin-1-yl)ethyl)amino)methyl)-2H-pyrido[3,2-b][1,4]thiazin-3(4H)-one;

N-(2-{4-[6-(methyloxy)-1,5-naphthyridin-4-yl]hexahydro-1H-1,4-diazepin-1-yl}ethyl)-3-oxo-3,4-dihydro-2H-1,4-benzothiazine-6-sulfonamide;
6-[[2-[(1R,4R)-5-[6-(methyloxy)-1,5-naphthyridin-4-yl]-2,5-diazabicyclo[2.2.1]hept-2-yl]ethyl)amino]methyl]-2H-pyrido[3,2-b][1,4]thiazin-3(4H)-one;
6-[[2-[(1R,4R)-5-[6-(methyloxy)-1,5-naphthyridin-4-yl]-4-piperidinyl]amino]methyl]-2H-pyrido[3,2-b][1,4]thiazin-3(4H)-one;
6-[[2-[(1R,4R)-5-[6-(methyloxy)-1,5-naphthyridin-4-yl]-4-piperidinyl]ethyl]amino]methyl]-2H-pyrido[3,2-b][1,4]thiazin-3(4H)-one;
6-[[2-[(1R,4R)-5-[6-(methyloxy)-1,5-naphthyridin-4-yl]-4-piperidinyl]ethyl]amino]methyl]-2H-pyrido[3,2-b][1,4]oxazin-3(4H)-one;
N-(2-{4-hydroxy-1-[6-(methyloxy)-1,5-naphthyridin-4-yl]-4-piperidinyl}ethyl)-3-oxo-3,4-dihydro-2H-1,4-benzothiazine-6-sulfonamide;
6-[[2-[(1R,4R)-5-[6-(methyloxy)-1,5-naphthyridin-4-yl]-1-piperazinyl]ethyl]amino]methyl]-2H-pyrido[3,2-b][1,4]thiazin-3(4H)-one; or
6-[[2-[(1R,4R)-5-[6-(methyloxy)-1,5-naphthyridin-4-yl]-1-piperazinyl]ethyl]amino]methyl]-2H-pyrido[3,2-b][1,4]oxazin-3(4H)-one; or
a pharmaceutical pharmaceutically acceptable salt thereof.

11. (Previously presented): A pharmaceutical composition, comprising a compound or salt according to claim 1 and a pharmaceutically acceptable carrier.
12. (Previously presented): A method of treating bacterial infections in mammals, which comprises administering to a mammal in need thereof an effective amount of a compound or salt according to claim 1.
13. (New) A method according to claim 12, wherein the mammal is a human.
14. (New) A compound or salt according to claim 1, wherein R¹² is an aromatic heterocyclic ring (A) having 8-11 ring atoms including 2-4 heteroatoms of which at least one is N or NR¹³, in which preferably Y² contains 2-3 heteroatoms, one of which is S and 1-2 are N, with one N bonded to X³.
15. (New) A compound or salt according to claim 1, wherein R¹² has a heterocyclic ring (A) having ring (a) aromatic selected from optionally substituted benzo and pyrido and ring (b) non-aromatic and in which Y² has 3-5 atoms including a

heteroatom bonded to X⁵ selected from NR¹³, O or S and NHCO bonded via N to X³, or O bonded to X³.

16. (New) A compound or salt according to claim 1, wherein R¹² is:

3-oxo-3,4-dihydro-2*H*-pyrido[3,2-*b*][1,4]thiazin-6-yl,
3-oxo-3,4-dihydro-2*H*-pyrido[3,2-*b*][1,4]oxazin-6-yl, or
2,3-dihydro-[1,4]dioxino[2,3-*c*]pyridin-7-yl.

17. (New) A compound according to claim 1, wherein the compound is:

6-({2-[1-(6-methoxynaphthyridin-4-yl)piperidin-4-yl]ethylamino} methyl)-4*H*-pyrido[3,2-*b*][1,4]oxazin-3-one;

6-({2-[1-(3-chloro-6-methoxy-[1,5]naphthyridin-4-yl)phenyl]ethylamino}methyl)-4*H*-pyrido[3,2-*b*][1,4]oxazin-3-one;

6-({2-[4-(6-methoxynaphthyridin-4-yl)piperazin-1-yl]ethylamino} methyl)-4*H*-pyrido[3,2-*b*][1,4]oxazin-3-one;

6-({2-[4-(3-chloro-6-methoxynaphthyridin-4-yl)piperazin-1-yl]ethylamino}methyl)-4*H*-pyrido[3,2-*b*][1,4]oxazin-3-one;

6-[(2-{4-hydroxy-1-[6-(methyloxy)-1,5-naphthyridin-4-yl]-4-piperidinyl}ethyl)amino]methyl)-2*H*-pyrido[3,2-*b*][1,4]oxazin-3(4*H*)-one; or

6-[(2-{4-[7-fluoro-6-(methyloxy)-1,5-naphthyridin-4-yl]-1-piperazinyl}ethyl)amino]methyl)-2*H*-pyrido[3,2-*b*][1,4]oxazin-3(4*H*)-one; or

a pharmaceutically acceptable salt thereof.

18. (New) A compound according to claim 1, wherein the compound is:

6-({2-[1-(6-methoxynaphthyridin-4-yl)piperidin-4-yl]ethylamino} methyl)-4*H*-pyrido[3,2-*b*][1,4]thiazin-3-one;

6-({2-[1-(3-chloro-6-methoxy-[1,5]naphthyridin-4-yl)phenyl]ethylamino}methyl)-4*H*-pyrido[3,2-*b*][1,4]thiazin-3-one;

6-({2-[4-(6-methoxynaphthyridin-4-yl)piperazin-1-yl]ethylamino} methyl)-4*H*-pyrido[3,2-*b*][1,4]thiazin-3-one;

6-({2-[4-(3-chloro-6-methoxynaphthyridin-4-yl)piperazin-1-yl]ethylamino}methyl)-4*H*-pyrido[3,2-*b*][1,4]thiazin-3-one;

N-(2-{1-[6-(methyloxy)-1,5-naphthyridin-4-yl]-4-piperidinyl}ethyl)-3-oxo-3,4-dihydro-2*H*-pyrido[3,2-*b*][1,4]thiazine-6-carboxamide;

N-methyl-N-(2-{1-[6-(methyloxy)-1,5-naphthyridin-4-yl]-4-piperidinyl}ethyl)-3-oxo-3,4-dihydro-2*H*-pyrido[3,2-*b*][1,4]thiazine-6-carboxamide;

N-(2-{4-[6-(methyloxy)-1,5-naphthyridin-4-yl]-1-piperazinyl}ethyl)-3-oxo-3,4-dihydro-2H-pyrido[3,2-b][1,4]thiazine-6-carboxamide;

N-methyl-N-(2-{4-[6-(methyloxy)-1,5-naphthyridin-4-yl]-1-piperazinyl}ethyl)-3-oxo-3,4-dihydro-2H-pyrido[3,2-b][1,4]thiazine-6-carboxamide;

6-[[2-{4-[6-(methyloxy)-1,5-naphthyridin-4-yl]hexahydro-1H-1,4-diazepin-1-yl}ethyl)amino]methyl}-2H-pyrido[3,2-b][1,4]thiazin-3(4H)-one;

6-[[2-{(1R,4R)-5-[6-(methyloxy)-1,5-naphthyridin-4-yl]-2,5-diazabicyclo[2.2.1]hept-2-yl}ethyl)amino]methyl}-2H-pyrido[3,2-b][1,4]thiazin-3(4H)-one;

6-[(1-[6-(methyloxy)-1,5-naphthyridin-4-yl]-4-piperidinyl)amino]methyl}-2H-pyrido[3,2-b][1,4]thiazin-3(4H)-one;

6-[[2-{4-hydroxy-1-[6-(methyloxy)-1,5-naphthyridin-4-yl]-4-piperidinyl}ethyl)amino]methyl}-2H-pyrido[3,2-b][1,4]thiazin-3(4H)-one; or

6-[[2-{4-[7-fluoro-6-(methyloxy)-1,5-naphthyridin-4-yl]-1-piperazinyl}ethyl)amino]methyl}-2H-pyrido[3,2-b][1,4]thiazin-3(4H)-one; or

a pharmaceutically acceptable salt thereof.

19. (New) A compound according to claim 1, wherein the compound is:

(2,3-dihydro-[1,4]dioxino[2,3-c]pyridin-7-ylmethyl)-{2-[1-(6-methoxynaphthyridin-4-yl)piperidin-4-yl]ethyl}amine;

{2-[1-(3-chloro-6-methoxynaphthyridin-4-yl)piperidin-4-yl]ethyl}-(2,3-dihydro[1,4]dioxino[2,3-c]pyridin-7-ylmethyl)amine;

(2,3-dihydro-[1,4]dioxino[2,3-c]pyridin-7-ylmethyl)-{2-[4-(6-methoxynaphthyridin-4-yl)piperizin-1-yl]ethyl}amine;

{2-[4-(3-chloro-6-methoxynaphthyridin-4-yl)piperazin-1-yl]ethyl}-(2,3-dihydro[1,4]dioxino[2,3-c]pyridin-7-ylmethyl)amine; or

7-[[2-{4-[6-(methyloxy)-1,5-naphthyridin-4-yl]-1-piperazinyl}ethyl)oxy]methyl}-2,3-dihydro[1,4]dioxino[2,3-c]pyridine, or

a pharmaceutically acceptable salt thereof.

20. (New) A pharmaceutical composition, comprising a compound or salt according to claim 10 and a pharmaceutically acceptable carrier.

21. (New) A method of treating bacterial infections in a human, which comprises administering to a human in need thereof an effective amount of a compound or salt according to claim 10.